This SDS is prepared in accord with the SWA document "Preparation of Safety Data Sheets for Hazardous Chemicals - Code of Practice" (July 2020).

# SAFETY DATA SHEET



Product name	: Air Wick Aerosol Air Freshener - Vanilla
SDS no.	: D0009916 v1.0L
Formulation #	: 0305519 v4.0
Supplier	: AUSTRALIA RB (Hygiene Home) Australia Pty Ltd 680 George St , Sydney, NSW 2000 Tel: +61 (0)2 9857 2000
	NEW ZEALAND RB (Hygiene Home) New Zealand Limited 2 Fred Thomas Drive, Takapuna Auckland , New Zealand 0622 Tel: +64 9 484 1400
Poison Information contact:	: Australia - 13 11 26 New Zealand - 0800 764 766 or 0800 POISON
<u>Uses</u>	
Product use	: Air care, instant action (aerosol sprays)
2. Hazard identifi	cation
Classification of the substance or mixture	: AEROSOLS - Category 1
	: AEROSOLS - Category 1 Percentage of the mixture consisting of ingredient(s) of unknown hazards to the aquatic environment: 25.9%
substance or mixture	Percentage of the mixture consisting of ingredient(s) of unknown hazards to the
	Percentage of the mixture consisting of ingredient(s) of unknown hazards to the
substance or mixture	Percentage of the mixture consisting of ingredient(s) of unknown hazards to the
substance or mixture GHS label elements Hazard pictograms	Percentage of the mixture consisting of ingredient(s) of unknown hazards to the aquatic environment: 25.9%
substance or mixture GHS label elements Hazard pictograms Signal word	<ul> <li>Percentage of the mixture consisting of ingredient(s) of unknown hazards to the aquatic environment: 25.9%</li> <li>:</li></ul>
Signal word Hazard statements	<ul> <li>Percentage of the mixture consisting of ingredient(s) of unknown hazards to the aquatic environment: 25.9%</li> <li>:</li></ul>
substance or mixture <u>GHS label elements</u> Hazard pictograms Signal word Hazard statements <u>Precautionary statements</u>	<ul> <li>Percentage of the mixture consisting of ingredient(s) of unknown hazards to the aquatic environment: 25.9%</li> <li>: We set the environment of the environm</li></ul>
substance or mixture <u>GHS label elements</u> Hazard pictograms Signal word Hazard statements <u>Precautionary statements</u> General	<ul> <li>Percentage of the mixture consisting of ingredient(s) of unknown hazards to the aquatic environment: 25.9%</li> <li>: We state the environment of the enviro</li></ul>
substance or mixture <u>GHS label elements</u> Hazard pictograms Signal word Hazard statements <u>Precautionary statements</u> General Prevention	<ul> <li>Percentage of the mixture consisting of ingredient(s) of unknown hazards to the aquatic environment: 25.9%</li> <li><b>Extremely flammable aerosol.</b></li> <li><b>Extremely flammable aerosol.</b></li> <li><b>Pressurised container, may burst if heated.</b></li> <li>Keep out of reach of children. If medical advice is needed, have product container or label at hand.</li> <li>Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use.</li> </ul>

R

reckitt

## 3. Composition/information on ingredients

Substance/mixture

: Mixture

Ingredient name	% (w/w)	CAS number
n-butane	≥10 - ≤30	106-97-8
propane	≤10	74-98-6
Isobutane	≤10	75-28-5

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified and hence require reporting in this section.

The total concentration of ingredients in this product, reported or not in this section, is 100%.

#### Occupational exposure limits, if available, are listed in Section 8.

### 4. First-aid measures

#### Description of necessary first aid measures

Eye contact	: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
Skin contact	<ul> <li>Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.</li> </ul>
Ingestion	<ul> <li>Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel.</li> </ul>

#### Most important symptoms/effects, acute and delayed

most important sympton	is/circles, acute and delayed
Potential acute health e	effects
Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.
Over-exposure signs/s	<u>ymptoms</u>
Eye contact	: Adverse symptoms may include the following: irritation redness
Inhalation	: Adverse symptoms may include the following: respiratory tract irritation coughing
Skin contact	: No specific data.
Ingestion	: No specific data.
Indication of immediate	medical attention and special treatment needed, if necessary
Notes to physician	: Treat symptomatically. Contact poison treatment specialist immediately if large

Notes to physician	quantities have been ingested or inhaled.
Specific treatments	: No specific treatment.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training.

#### See toxicological information (Section 11)

## 5. Fire-fighting measures

Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
Specific hazards arising from the chemical	: Extremely flammable aerosol. Runoff to sewer may create fire or explosion hazard. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion. Gas may accumulate in low or confined areas or travel a considerable distance to a source of ignition and flash back, causing fire or explosion. Bursting aerosol containers may be propelled from a fire at high speed.
Hazardous thermal decomposition products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide
Special protective actions for fire-fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.
Special protective equipment for fire-fighters	<ul> <li>Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.</li> </ul>
Hazchem code	: Not applicable

## 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel		No action shall be taken involving any personal risk or withou Evacuate surrounding areas. Keep unnecessary and unprot entering. In the case of aerosols being ruptured, care should rapid escape of the pressurised contents and propellant. If a containers are ruptured, treat as a bulk material spillage accor- instructions in the clean-up section. Do not touch or walk thr Shut off all ignition sources. No flares, smoking or flames in appropriate personal protective equipment.	ected personnel from d be taken due to the a large number of ording to the rough spilt material. hazard area. Put on
For emergency responders	:	If specialised clothing is required to deal with the spillage, tal information in Section 8 on suitable and unsuitable materials information in "For non-emergency personnel".	
Environmental precautions	:	Avoid dispersal of spilt material and runoff and contact with s and sewers. Inform the relevant authorities if the product ha pollution (sewers, waterways, soil or air).	
Methods and material for cor	nta	nment and cleaning up	
Small spill	:	Stop leak if without risk. Move containers from spill area. Us explosion-proof equipment. Dilute with water and mop up if Alternatively, or if water-insoluble, absorb with an inert dry m appropriate waste disposal container. Dispose of via a licens contractor.	water-soluble. aterial and place in an
Large spill	:	Stop leak if without risk. Move containers from spill area. Us explosion-proof equipment. Approach the release from upwing sewers, water courses, basements or confined areas. Wash effluent treatment plant or proceed as follows. Contain and of combustible, absorbent material e.g. sand, earth, vermiculite and place in container for disposal according to local regulate Dispose of via a licensed waste disposal contractor. Contain material may pose the same hazard as the spilt product. No emergency contact information and Section 13 for waste disp	ind. Prevent entry into a spillages into an collect spillage with non- e or diatomaceous earth ions (see Section 13). hinated absorbent te: see Section 1 for
Date of issue		: 01/03/2023	Page: 3/10

## 6. Accidental release measures

See Section 1 for emergency contact information.

See Section 8 for information on appropriate personal protective equipment.

See Section 13 for additional waste treatment information.

### 7. Handling and storage

Precautions for safe handling

Protective measures	:	Put on appropriate personal protective equipment (see Section 8). Pressurised container: protect from sunlight and do not expose to temperature exceeding 50°C. Do not pierce or burn, even after use. Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing gas. Avoid breathing vapour or mist. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-proof electrical (ventilating, lighting and material handling) equipment. Use only non-sparking tools. Empty containers retain product residue and can be hazardous.
Advice on general occupational hygiene	:	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store away from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Eliminate all ignition sources. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

## 8. Exposure controls/personal protection

### **Control parameters**

### <u>Australia</u>

**Occupational exposure limits** 

Ingredient name	Exposure limits
Butane	<b>Safe Work Australia (Australia, 1/2014).</b> TWA: 1900 mg/m <sup>3</sup> 8 hours. TWA: 800 ppm 8 hours.
propane	ACGIH TLV (United States, 3/2018). Oxygen Depletion [Asphyxiant].
isobutane	ACGIH TLV (United States, 3/2018).
isopentane	STEL: 1000 ppm 15 minutes. <b>ACGIH TLV (United States, 3/2018).</b> TWA: 1000 ppm 8 hours.

### New Zealand

### **Occupational exposure limits**

Ingredient name		Exposure limits
butane		NZ HSWA 2015 - GRWM 2016 (New Zealand, 2/2013). WES-TWA: 800 ppm 8 hours. WES-TWA: 1900 mg/m <sup>3</sup> 8 hours.
propane		NZ HSWA 2015 - GRWM 2016 (New Zealand, 11/2017). Oxygen Depletion [Asphyxiant].
Isobutane		ACGIH TLV (United States, 3/2018). STEL: 1000 ppm 15 minutes.
Date of issue	: 01/03/2023	Page: 4/10

## 8. Exposure controls/personal protection

		ACGIH TLV (United States, 3/2018). TWA: 1000 ppm 8 hours.
		NZ HSWA 2015 - GRWM 2016 (New Zealand, 11/2017). WES-TWA: 5 mg/m <sup>3</sup> 8 hours.
controls vapour or mist, use pro engineering controls to recommended or statut		e ventilation. If user operations generate dust, fumes, gas, ocess enclosures, local exhaust ventilation or other o keep worker exposure to airborne contaminants below any itory limits. The engineering controls also need to keep gas, trations below any lower explosive limits. Use explosion-proof

	vapour or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.
Environmental exposure controls	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection	
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Body protection	: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. When there is a risk of ignition from static electricity, wear anti-static protective clothing. For the greatest protection from static discharges, clothing should include anti-static overalls, boots and gloves.
Other skin protection	<ul> <li>Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.</li> </ul>
Respiratory protection	: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

## 9. Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

Appearance	
Physical state	: Liquid. [Aerosol.]
Colour	: Not available.
Odour	: Not available.
Odour threshold	: Not available.
Date of issue	: 01/03/2023

## 9. Physical and chemical properties

_		
рН	1	Not available.
Melting point/freezing point	:	Not available.
Boiling point, initial boiling point, and boiling range	:	Not available.
Flash point	:	Not applicable.
Evaporation rate	:	Not available.
Flammability	:	Not available.
Lower and upper explosion limit/flammability limit	:	Not available.
Vapour pressure	:	Not available.
Relative vapour density	:	Not available.
Relative density	:	Not available.
Solubility(ies)	:	
Not available.		
Partition coefficient: n- octanol/water	:	Not applicable.
Auto-ignition temperature	:	Not available.
Decomposition temperature	1	Not available.
Heat of combustion	:	13.99 kJ/g
Viscosity	:	Not available.
Particle characteristics		
Median particle size	:	Not applicable.
Aerosol product		
Type of aerosol	:	Spray

### **10. Stability and reactivity**

	5
Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: Avoid all possible sources of ignition (spark or flame).
Incompatible materials	: No specific data.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## 11. Toxicological information

### Information on toxicological effects

### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Butane	LC50 Inhalation Vapour	Rat	658000 mg/m <sup>3</sup>	4 hours
isobutane	LC50 Inhalation Vapour	Rat	658000 mg/m <sup>3</sup>	4 hours
isopentane	LC50 Inhalation Vapour	Rat	280000 mg/m <sup>3</sup>	4 hours
disodium tetraborate decahydrate	LD50 Oral	Rat	2660 mg/kg	-

**Conclusion/Summary** 

Based on available data, the classification criteria are not met.

Date of issue

## 11. Toxicological information

### Irritation/Corrosion Not available.

Conclusion/Summary	
Skin	Based on available data, the classification criteria are not met.
Eyes	Based on available data, the classification criteria are not met.
Respiratory	Based on available data, the classification criteria are not met.
Sensitisation	
Not available.	
Conclusion/Summary	
Skin	Based on available data, the classification criteria are not met.
Respiratory	Based on available data, the classification criteria are not met.
<u>Germ Cell Mutagenicity</u>	
Not available.	
<b>Conclusion/Summary</b>	Based on available data, the classification criteria are not met.
Carcinogenicity	
Not available.	
Conclusion/Summary	Based on available data, the classification criteria are not met.
Reproductive toxicity	
Not available.	
Conclusion/Summary	Based on available data, the classification criteria are not met.
<u>Teratogenicity</u>	
Not available.	
<b>Conclusion/Summary</b>	Based on available data, the classification criteria are not met.
Specific target organ toxicity	<u>/ (single exposure)</u>
Not available.	
Specific target organ toxicity	<u>/ (repeated exposure)</u>
Not available.	
Aspiration hazard	
Not available.	
Information on likely routes	: Not available.
of exposure	
Potential acute health effects	
Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.
Symptoms related to the phys	sical, chemical and toxicological characteristics
Eye contact	: Adverse symptoms may include the following:
	irritation redness
Inhalation	: Adverse symptoms may include the following:
	respiratory tract irritation
	coughing
Skin contact	: No specific data.

: 01/03/2023

## 11. Toxicological information

Ingestion

: No specific data.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

<u>Short term exposure</u>		
Potential immediate effects	1	Not available.
Potential delayed effects	1	Not available.
Potential immediate effects	:	Not available.
Potential delayed effects	1	Not available.
Potential chronic health effe	<u>ect</u>	<u>s</u>

Not available.

<b>Conclusion/Summary</b>	Based on available data, the classification criteria are not me	et.
General	: No known significant effects or critical hazards.	
Carcinogenicity	: No known significant effects or critical hazards.	
Germ Cell Mutagenicity	: No known significant effects or critical hazards.	
Teratogenicity	: No known significant effects or critical hazards.	
<b>Developmental effects</b>	: No known significant effects or critical hazards.	
Developmental effects	: No known significant effects or critical hazards.	

### Numerical measures of toxicity

Acute toxicity estimates

Not available.

## 12. Ecological information

### **Toxicity**

Product/ingredient name	Result	Species	Exposure
disodium tetraborate decahydrate	5	Crustaceans - Cypris subglobosa	48 hours

### Persistence and degradability

Not available.

### **Bioaccumulative potential**

Product/ingredient name	LogPow	BCF	Potential
Butane	2.89	-	low
propane	1.09	-	low
isobutane	2.8	-	low
isopentane	3	171	low

<u>Mobility in soil</u>	
Soil/water partition coefficient (Koc)	: Not available.

Other adverse effects : No known significant effects or critical hazards.

Date of issue

: 01/03/2023

### 13. Disposal considerations

#### **Disposal methods**

The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Do not puncture or incinerate container.

## 14. Transport information

	ADG	ADR/RID	IMDG	ΙΑΤΑ
	~~~~	ADIVIND		
UN number	UN1950	UN1950	UN1950	UN1950
UN proper shipping name	AEROSOLS	AEROSOLS	AEROSOLS	Aerosols, flammable
Transport hazard class(es)	2.1	2	2.1	2.1
Packing group	-	-	-	-
Environmental hazards	No.	No.	No.	No.

#### Additional information

ADR/RID

: <u>Tunnel code</u> (D)

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according : Not available. to IMO instruments

### 15. Regulatory information

Standard for the Uniform Se	<u>cheduling of Medicines and Poisons</u>
Not scheduled	
Australian Inventory of Industrial Chemicals (AIIC)	All components are listed or exempted.
New Zealand Inventory of Chemicals (NZIoC)	All components are listed or exempted.
HSNO Group Standard	Aerosols (Flammable)
HSNO Approval Number	HSR002515
Approved Handler Requirement	No.
Tracking Requirement	No.

## 16. Other information

Key to abbreviations	<ul> <li>ADG = Australian Dangerous Goods         ADR = The European Agreement concerning the International Carriage of             Dangerous Goods by Road             RID = The Regulations concerning the International Carriage of Dangerous Goods             by Rail             IATA = International Air Transport Association             IMDG = International Maritime Dangerous Goods             GHS = Globally Harmonized System of Classification and Labelling of Chemicals             IBC = Internediate Bulk Container             SUSMP = Standard Uniform Schedule of Medicine and Poisons             UN = United Nations             SWA = Safe Work Australia             HSNO = Hazardous Substances and New Organisms Act 1996</li></ul>
Date of issue / Date of revision	: 01/03/2023
Version	: 1.0L (Version for updated GHS Revision 7 PSDS Template)

Procedure used to derive the classification

AEROSOLS - Category 1 On	basis of test data

References : Not available.

✓ Indicates information that has changed from previously issued version.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Please read all labels carefully before using product.