# SAFETY DATA SHEET

### **CLEARASIL TREATMENT CREAM - TINTED**



# 1. Identification of the material and supplier

**Names** 

: CLEARASIL DAILY CLEAR CREAM - TINTED **Product name** 

SDS no. : D8044408 v2.2 Formulation # : 8039364 v1.0

**Supplier** : AUSTRALIA

Reckitt Benckiser (Australia) Pty Limited

ABN: 17 003 274 655

680 George Street, Sydney NSW 2000

Tel: +61 (0)2 9857 2000

**NEW ZEALAND** 

Reckitt Benckiser (New Zealand) Limited 2 Fred Thomas Drive, Takapuna,

Auckland, New Zealand 0622

Tel: +64 9 484 1400

**Poison Information contact:** : Australia - 13 11 26

New Zealand - 0800 764 766 or 0800 POISON

**Material uses** : Facial cream **Product use** : Consumer

# Section 2. Hazard(s) identification

Classification of the substance or mixture : Not classified

**GHS label elements** 

Signal word : No signal word.

**Hazard statements** : No known significant effects or critical hazards.

**Precautionary statements** 

**General** : Read label before use. Keep out of reach of children. If medical advice is needed,

have product container or label at hand.

**Prevention** : Not applicable. Response : Not applicable. **Storage** : Not applicable. **Disposal** : Not applicable. Supplemental label

elements

: Not applicable.

Other hazards which do not : None known.

result in classification

**Date of issue** : 29/11/2016 Page: 1/10

# Section 3. Composition and ingredient information

#### Substance/mixture

: Mixture Ingredients: Aqua, Butylene Glycol, Octyldodecanol, Steareth-2, Steareth-21, Dimethicone, Cetyl alcohol, Salicylic Acid, Propylene Glycol, Polyacrylamide, Behenyl alcohol, C13-14 Isoparaffin, Sodium hydroxide, Xanthan Gum, Magnesium Aluminum Silicate, Laureth-7, Parfum, Benzyl salicylate, Limonene, CI 77891, CI77492, CI77491, CI77499

Ingredient name	% (w/w)	CAS number
hexadecan-1-ol	≤3	36653-82-4
propane-1,2-diol	≤3	57-55-6
titanium dioxide	≤3	13463-67-7

Other Non-hazardous ingredients to 100%

Occupational exposure limits, if available, are listed in Section 8.

### Section 4. First aid measures

### **Description of necessary first aid measures**

**Eye contact** : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation

occurs.

**Inhalation** : Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be

kept under medical surveillance for 48 hours.

**Skin contact**: Flush contaminated skin with plenty of water. Remove contaminated clothing and

shoes. Get medical attention if symptoms occur.

**Ingestion**: Wash out mouth with water. Remove victim to fresh air and keep at rest in a

position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms

occur.

#### Most important symptoms/effects, acute and delayed

#### Potential acute health effects

**Eye contact** : May cause eye irritation upon direct contact with eyes.

Inhalation: No known significant effects or critical hazards.Skin contact: No known significant effects or critical hazards.Ingestion: No known significant effects or critical hazards.

#### Over-exposure signs/symptoms

Eye contact : No specific data.
Inhalation : No specific data.
Skin contact : No specific data.
Ingestion : No specific data.

#### Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician : In case of inhalation of decomposition products in a fire, symptoms may be delayed.

The exposed person may need to be kept under medical surveillance for 48 hours.

**Specific treatments**: No specific treatment.

Protection of first-aiders : No action shall be taken involving any personal risk or without suitable training.

### See toxicological information (Section 11)

Date of issue : 29/11/2016 Page: 2/10

## Section 5. Firefighting measures

#### **Extinguishing media**

Suitable extinguishing

media

**Unsuitable extinguishing** media

: Use an extinguishing agent suitable for the surrounding fire.

: None known.

Specific hazards arising from the chemical

**Hazardous thermal** decomposition products : No specific fire or explosion hazard.

: Decomposition products may include the following materials: carbon dioxide

carbon monoxide nitrogen oxides metal oxide/oxides

Special protective actions for fire-fighters

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

**Special protective** equipment for fire-fighters Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

### Section 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.

For emergency responders:

If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

**Environmental precautions** 

: Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

### Methods and material for containment and cleaning up

**Small spill** 

: Move containers from spill area. Vacuum or sweep up material and place in a designated, labelled waste container. Dispose of via a licensed waste disposal contractor.

Large spill

Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labelled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

See Section 1 for emergency contact information.

See Section 8 for information on appropriate personal protective equipment.

See Section 13 for additional waste treatment information.

: 29/11/2016 **Date of issue** Page: 3/10

# Section 7. Handling and storage

#### Precautions for safe handling

**Protective measures** 

Put on appropriate personal protective equipment (see Section 8).

Advice on general occupational hygiene

: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

including any incompatibilities

Conditions for safe storage, : Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.

## Section 8. Exposure controls and personal protection

#### **Control parameters**

#### **Australia**

### Occupational exposure limits

Ingredient name	Exposure limits
hexadecan-1-ol	TRGS900 AGW (Germany, 12/2014).
	TWA: 200 mg/m³ 8 hours.
	TWA: 20 ppm 8 hours.
	PEAK: 200 mg/m³ 15 minutes.
	PEAK: 20 ppm 15 minutes.
propane-1,2-diol	Safe Work Australia (Australia, 1/2014).
	TWA: 10 mg/m <sup>3</sup> 8 hours. Form: Particulate
	TWA: 150 ppm 8 hours. Form: Vapor and particulates
	TWA: 474 mg/m <sup>3</sup> 8 hours. Form: Vapor and particulates
titanium dioxide	Safe Work Australia (Australia, 1/2014).
	TWA: 10 mg/m³ 8 hours.

### **New Zealand**

Ingredient name	Exposure limits
propane-1,2-diol	NZ OSH (New Zealand, 2/2013).  WES-TWA: 10 mg/m³ 8 hours. Form: Particulate WES-TWA: 150 ppm 8 hours. Form: Vapor and particulates WES-TWA: 474 mg/m³ 8 hours. Form: Vapor and particulates
titanium dioxide	NZ OSH (New Zealand, 2/2013).  WES-TWA: 10 mg/m³ 8 hours. Form: The value for inhalable dust containing no asbestos and less than 1% free silica.

#### Appropriate engineering controls

### **Environmental exposure** controls

- : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
- : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

#### **Individual protection measures**

**Date of issue** : 29/11/2016 Page: 4/10

# Section 8. Exposure controls and personal protection

**Hygiene measures** 

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

**Eye/face protection** 

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.

Skin protection

**Hand protection** 

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

**Body protection** 

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection

: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

**Respiratory protection** 

Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

# Section 9. Physical and chemical properties

**Appearance** 

Physical state : Solid. [cream] Colour Mild brown

: Slight Characteristic. Odour

: Not available. Odour threshold

Hq 3.5 to 4.5 [Conc. (% w/w): 1%]

**Melting point** : Not available. **Boiling point** : Not available. Flash point : Not available. **Evaporation rate** : Not available. Flammability (solid, gas) : Not available. Lower and upper explosive : Not available.

(flammable) limits

: Not available. Vapour pressure Vapour density : Not available. : 0.98 to 1.1 Relative density

: Soluble in the following materials: cold water and hot water. Solubility

Solubility in water : Not available. Partition coefficient: n-: Not available.

octanol/water

: Not available. Auto-ignition temperature **Decomposition temperature** : Not available.

: Kinematic (room temperature): 300 to 600 cm<sup>2</sup>/s (30000 to 60000 cSt) Viscosity

Flow time (ISO 2431) : Not available.

**Date of issue** : 29/11/2016 Page: 5/10

# Section 10. Stability and reactivity

**Reactivity**: No specific test data related to reactivity available for this product or its ingredients.

**Chemical stability** : The product is stable.

Possibility of hazardous reactions

: Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to avoid : No specific data.

Incompatible materials : No specific data.

Hazardous decomposition products

: Under normal conditions of storage and use, hazardous decomposition products

should not be produced.

## **Section 11. Toxicological information**

### Information on toxicological effects

### **Acute toxicity**

Product/ingredient name	Result	Species	Dose	Exposure
hexadecan-1-ol propane-1,2-diol	LD50 Oral LD50 Dermal LD50 Oral	Rat Rabbit Rat	5 g/kg 20800 mg/kg 20 g/kg	

Conclusion/Summary

: Based on available data, the classification criteria are not met.

#### <u>Irritation/Corrosion</u>

Product/ingredient name	Result	Species	Score	Exposure	Observation
hexadecan-1-ol	Eyes - Mild irritant	Rabbit	-	82 milligrams	-
	Skin - Mild irritant	Guinea pig	_	100 Percent	-
	Skin - Moderate irritant	Guinea pig	-	24 hours 100	-
				milligrams	
	Skin - Mild irritant	Human	-	72 hours 75	-
				milligrams	
				Intermittent	
	Skin - Severe irritant	Human	-	0.2 Percent	-
	Skin - Mild irritant	Man	-	48 hours 50	-
				milligrams	
	Skin - Severe irritant	Rat	-	24 hours 100	-
				milligrams	
	Skin - Mild irritant	Rabbit	-	24 hours	-
				2600	
				milligrams	
	Skin - Severe irritant	Rabbit	-	24 hours 100	-
nnanana 4.0 dial	Free Mild inviterat	Dabbit		milligrams	
propane-1,2-diol	Eyes - Mild irritant	Rabbit	-	24 hours 500	-
	Even Mild irritant	Dobbit		milligrams 100	
	Eyes - Mild irritant	Rabbit	-	milligrams	_
	Skin - Moderate irritant	Child		96 hours 30	
	Skiii - Moderate ii iitaiit	Crilia	_	Percent	-
				continuous	
	Skin - Mild irritant	Human		168 hours	
	OKIT Wild ITTEM	Trainan		500	
				milligrams	
	Skin - Moderate irritant	Human	_	72 hours 104	_
	The state of the s			milligrams	
				Intermittent	
	Skin - Mild irritant	Woman	_	96 hours 30	_
				Percent	
			<u> </u>		<u> </u>

 D8044408 v2.0

# Section 11. Toxicological information

titanium dioxide	Skin - Mild irritant	Human	-	72 hours 300	-
				Micrograms	
				Intermittent	

**Conclusion/Summary** 

Skin
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.
 Respiratory
 Based on available data, the classification criteria are not met.

Sensitisation
Not available.

**Conclusion/Summary** 

Skin : Based on available data, the classification criteria are not met.Respiratory : Based on available data, the classification criteria are not met.

Mutagenicity
Not available.

**Conclusion/Summary**: Based on available data, the classification criteria are not met.

Carcinogenicity

Not available.

**Conclusion/Summary**: Based on available data, the classification criteria are not met.

Reproductive toxicity

Not available.

**Conclusion/Summary**: Based on available data, the classification criteria are not met.

Teratogenicity

Not available.

**Conclusion/Summary**: Based on available data, the classification criteria are not met.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

**Aspiration hazard** 

Not available.

**Information on likely routes**: Not available.

of exposure

Potential acute health effects

**Eye contact** : May cause eye irritation upon direct contact with eyes.

Inhalation: No known significant effects or critical hazards.Skin contact: No known significant effects or critical hazards.Ingestion: No known significant effects or critical hazards.

### Symptoms related to the physical, chemical and toxicological characteristics

Eye contact: No specific data.Inhalation: No specific data.Skin contact: No specific data.Ingestion: No specific data.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

# Section 11. Toxicological information

**Short term exposure** 

Potential immediate : Not available.

effects

Potential delayed effects : Not available.

**Long term exposure** 

Potential immediate : Not available.

effects

Potential delayed effects : Not available.

#### Potential chronic health effects

Not available.

**Conclusion/Summary**: Based on available data, the classification criteria are not met.

General : No known significant effects or critical hazards.
 Carcinogenicity : No known significant effects or critical hazards.
 Mutagenicity : No known significant effects or critical hazards.
 Teratogenicity : No known significant effects or critical hazards.
 Developmental effects : No known significant effects or critical hazards.
 Fertility effects : No known significant effects or critical hazards.

### **Numerical measures of toxicity**

### **Acute toxicity estimates**

Route	ATE value
Oral	71909.8 mg/kg

# Section 12. Ecological information

#### **Toxicity**

Product/ingredient name	Result	Species	Exposure
propane-1,2-diol	Acute EC50 >110 ppm Fresh water	Daphnia - Daphnia magna	48 hours
	Acute LC50 1020000 μg/l Fresh water	Crustaceans - Ceriodaphnia dubia	48 hours
	Acute LC50 710000 µg/l Fresh water	Fish - Pimephales promelas	96 hours
titanium dioxide	Acute LC50 3 mg/l Fresh water	Crustaceans - Ceriodaphnia dubia - Neonate	48 hours
	Acute LC50 6.5 mg/l Fresh water	Daphnia - Daphnia pulex - Neonate	48 hours
	Acute LC50 >1000000 μg/l Marine water	Fish - Fundulus heteroclitus	96 hours
	Chronic NOEC 1 ppm Fresh water	Daphnia - Daphnia magna - Juvenile (Fledgling, Hatchling, Weanling)	48 hours

### Persistence and degradability

Not available.

#### **Bioaccumulative potential**

Product/ingredient name	LogPow	BCF	Potential
hexadecan-1-ol	6.7	-	high
propane-1,2-diol	-1.07	-	low
titanium dioxide	-	352	low

# **Section 12. Ecological information**

**Mobility in soil** 

Soil/water partition coefficient (Koc)

Not available.

Other adverse effects : No known significant effects or critical hazards.

## Section 13. Disposal considerations

**Disposal methods** 

: The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and nonrecyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

# 14. Transport information

Regulation	UN number	Proper shipping name	Classes	PG*	Label	Additional information
ADG	Not regulated.	-	-	-		-
IMDG	Not regulated.	-	-	-		-
IATA	Not regulated.	-	-	-		-

PG\*: Packing group

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

# Section 15. Regulatory information

Standard Uniform Schedule of Medicine and Poisons

Poison Schedule (Australia): Not scheduled

Model Work Health and Safety Regulations - Scheduled Substances

: No.

: No.

No listed substance

Australia inventory (AICS) **New Zealand Inventory of** Chemicals (NZIoC)

: All components are listed or exempted. : All components are listed or exempted.

**HSNO Group Standard** : Cosmetic Products

**HSNO Approval Number** : HSR002552

**Approved Handler** 

**Tracking Requirement** 

Requirement

**Date of issue** : 29/11/2016 Page: 9/10

# Section 16. Any other relevant information

**Key to abbreviations** : ADG = Australian Dangerous Goods

ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships,

1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) NOHSC = National Occupational Health and Safety Commission SUSMP = Standard Uniform Schedule of Medicine and Poisons

UN = United Nations

Date of issue / Date of

revision

: 29/11/2016

Revision comments : AUS GHS SDS

Version : 2.2

Procedure used to derive the classification

Classification	Justification
Not classified.	

References : Not available.

▼ Indicates information that has changed from previously issued version.

#### **Notice to reader**

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Please read all labels carefully before using product.

Date of issue : 29/11/2016 Page: 10/10