Product Name: Harpic (ITC) Long Life Blue Freshener



Section 1 - Identification of The Material and Supplier

Product Name: Harpic (ITC) Long Life Blue Freshener

Product Type: Toilet bowl cleaner block.

 SDS Number:
 20615-v6.1

 Formulation No:
 #8240307

Product Use: Air care product.

Supplier Details:

Australia: Reckitt Benckiser (Australia) Pty Limited

ABN: 17 003 274 655

680 George Street, Sydney NSW 2000

Tel: +61 2 9857 2000

New Zealand: Reckitt Benckiser (New Zealand) Limited

2 Fred Thomas Drive, Takapuna, Auckland, New Zealand 0622

Tel: +64 9 484 1400

Poisons Information Centre: Australia: Phone 131 126

New Zealand: 0800 764 766 or 0800 POISON

Section 2 - Hazards Identification

Statement of Hazardous Nature

This product is classified as: C, Corrosive. Hazardous according to the criteria of SWA.

Not a Dangerous Good according to Australian Dangerous Goods (ADG) Code, IATA or IMDG/IMSBC criteria.



GHS Signal word: DANGER

HAZARD STATEMENT:

H318: Causes serious eye damage.

H315: Causes skin irritation.

H412: Harmful to aquatic life with long lasting effects.

PREVENTION

P102: Keep out of reach of children.

P101: If medical advice is needed, have product container or label at hand.

P280: Wear protective gloves and eye/face protection.

P264: Wash hands thoroughly after handling.

RESPONSE

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310: Immediately call a POISON CENTER or doctor/physician. P302+P352: IF ON SKIN: Wash with plenty of soap and water.

P333+P313: If skin irritation or rash occurs: Get medical advice.

DISPOSAL

P501: Dispose of small quantities and empty containers by wrapping with paper and putting in garbage. For larger quantities, if recycling or reclaiming is not possible, use a commercial waste disposal service.

Emergency Overview

Physical Description & Colour: Blue waxy solid blocks.

Odour: Characteristic fragrance.

Major Health Hazards: Causes serious eye damage, causes skin irritation.

Date this version issued: December, 2016 Page: 1 of 8

Product Name: Harpic (ITC) Long Life Blue Freshener



Section 3 - Composition/Information on Ingredients			
Ingredients	CAS No	Conc,%	
Amides, coco, N-(hydroxyethyl)	68140-00-1	30-60	
Benzenesulfonic acid, C10-13-alkyl derivatives, sodium salts	68411-30-3	5-10	
Sulfuric acid, mono-C12-18-alkyl esters, sodium salts	68955-19-1	2.5-5	
Terpineol	8000-41-7	2.5-5	
Tetrasodium (1-hydroxyethylidene) bisphosphonate	3794-83-0	2.5-5	
p-mentha-1,4(8)-diene	586-62-9	0.25-1	
Various non-hazardous ingredients	secret	to 100	

This is a commercial product whose exact ratio of components may vary slightly. Minor quantities of other non hazardous ingredients are also possible.

Section 4 - First Aid Measures

General Information:

You should call The Poisons Information Centre if you feel that you may have been poisoned, burned or irritated by this product. The number is 13 1126 from anywhere in Australia (0800 764 766 in New Zealand) and is available at all times. Have this SDS with you when you call.

Inhalation: Get medical attention immediately. Call a poison centre or physician. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

Skin Contact: Get medical attention immediately. Call a poison centre or physician. Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician. Wash clothing before reuse. Clean shoes thoroughly before reuse.

Eye Contact: Get medical attention immediately. Call a poison centre or physician. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician.

Ingestion: Get medical attention immediately. Call a poison centre or physician. Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Chemical burns must be treated promptly by a physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Protection of first-aiders: No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

Most important symptoms and effects, both acute and delayed

Potential acute health effects

Inhalation: May give off gas, vapour or dust that is very irritating or corrosive to the respiratory system. Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure.

Ingestion: May cause burns to mouth, throat and stomach.

Skin contact: Causes skin irritation.

Eye contact: Causes serious eye damage.

Over-exposure signs/symptoms

Eye contact: Symptoms may include pain, watering and redness.

Skin contact: Symptoms may include pain, irritation, redness and blistering.

Ingestion: Symptoms may include stomach pains.

Date this version issued: December, 2016 Page: 2 of 8

Product Name: Harpic (ITC) Long Life Blue Freshener



Inhalation No specific data.

Indication of any immediate medical attention and special treatment needed

Notes to physician: Treat symptomatically.

Section 5 - Fire Fighting Measures

Extinguishing media

Suitable extinguishing media: Use an extinguishing agent suitable for the surrounding fire.

Unsuitable extinguishing media: None known

Special hazards arising from the substance or mixture

Hazards from the substance or mixture: This material is harmful to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.

Hazardous thermal decomposition products: Decomposition products may include carbon monoxide, carbon dioxide, nitrogen oxides, sulphur oxides, phosphorus oxides and metal oxides.

Advice for firefighters

Special protective actions for fire-fighters: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. **Special protective equipment for fire-fighters:** Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6 - Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures:

For non-emergency personnel: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

For emergency responders: If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

Environmental Precautions: Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and Material for Containment and Cleaning Up:

Small spill: Move containers from spill area. Avoid dust generation. Using a vacuum with HEPA filter will reduce dust dispersal. Place spilled material in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.

Large spill: Move containers from spill area. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Avoid dust generation. Do not dry sweep. Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container. Dispose of via a licensed waste disposal contractor.

Reference to Other Sections: See Section 1 for emergency contact information

See Section 8 for information on appropriate personal protective equipment See Section 13 for additional waste treatment information

Section 7 - Handling and Storage

Precautions for safe handling

Protective measures: Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not ingest. Avoid release to the environment. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Advice on general occupational hygiene: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Conditions for safe storage, including any incompatibilities

Storage: Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from food and drink. Keep container tightly closed and sealed until ready for use.

Date this version issued: December, 2016 Page: 3 of 8

Product Name: Harpic (ITC) Long Life Blue Freshener



Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.

Do not store above the following temperature: 40°C Do not store below the following temperature: -15°C

Recommended Storage Temperature for up to 6 weeks: 5 to 25°C Recommended Storage Temperature for over 6 weeks: 5 to 25°C

Specific end use(s)

Recommendations: Toilet bowl cleaner. Consumer uses.

Industrial sector specific solutions: Not available.

Section 8 - Exposure Controls and Personal Protection

The following Australian Standards will provide general advice regarding safety clothing and equipment:

Respiratory equipment: **AS/NZS 1715**, Protective Gloves: **AS 2161**, Occupational Protective Clothing: AS/NZS 4501 set 2008, Industrial Eye Protection: **AS1336** and **AS/NZS 1337**, Occupational Protective Footwear: **AS/NZS2210**.

SWA Exposure Limits TWA (mg/m³) STEL (mg/m³)

Exposure limits have not been established by SWA for this product.

No special equipment is usually needed when occasionally handling small quantities. The following instructions are for bulk handling or where regular exposure in an occupational setting occurs without proper containment systems. **Engineering Controls Ventilation:** Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Individual protection measures

Hygiene Measures: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.

Skin protection:

Hand protection: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

Body Protection: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection: Use a properly fitted, particulate filter respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Environmental exposure controls: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Section 9 - Physical and Chemical Properties:

Physical Description & colour: Blue waxy solid block. **Odour:** Characteristic fragrance.

pH: 6.5 to 7 (10% aqueous mixture).

Date this version issued: December, 2016 Page: 4 of 8

Product Name: Harpic (ITC) Long Life Blue Freshener



Freezing/Melting Point: No specific data. Solid at normal temperatures.

Boiling Point:Not available.Volatiles:No data.Vapour Pressure:No data.Vapour Density:Not applicable.Relative density:No data.

Water Solubility: Partially soluble.

Volatility:No data.Odour Threshold:No data.Evaporation Rate:Not applicable.

Coeff Oil/water Distribution: No data

Viscosity:
Autoignition temp:

Explosive Properties:

Oxidising Properties:

Not applicable.

No data.

Not explosive.

Not available.

Section 10 - Stability and Reactivity

Reactivity: This product is unlikely to react or decompose under normal storage conditions. However, if you have any doubts, contact the supplier for advice on shelf life properties.

Conditions to Avoid: None known.

Incompatibilities: No particular Incompatibilities.

Fire Decomposition: Combustion forms carbon dioxide, and if incomplete, carbon monoxide and possibly smoke. Water is also formed. Carbon monoxide poisoning produces headache, weakness, nausea, dizziness, confusion, dimness of vision, disturbance of judgment, and unconsciousness followed by coma and death. May produce oxides of nitrogen, sulphur, phosphorus and metals.

Polymerisation: This product will not undergo polymerisation reactions.

Section 11 - Toxicological Information

Acute toxicity

Product/Ingredient Name	Result	Species	Dose	Exposure
Benzenesulfonic acid, C10-13-alkyl derivatives, sodium salts	LD ₅₀ Oral	Rat	1080 mg/kg	
Terpineol	LD ₅₀ Oral	Rat	4300 mg/kg	
p-mentha-1,4(8)-diene	LD ₅₀ Oral	Rat	4390 mg/kg	

Acute toxicity Estimates: Not available.

Irritation/Corrosion:

Product/Ingredient Name	Result	Species	Score	Exposure	Observation
Benzenesulfonic acid, C10-13-alkyl derivatives, sodium salts	Skin - Moderate irritant	Rabbit		0.5 mL	
Terpineol	Eyes - Mild irritant	Mammal – species unspecified		12.5%	
	Skin - Moderate irritant	Rabbit		24 hr 500 mg	
p-mentha-1,4(8)-diene	Skin - Moderate irritant	Rabbit		24 hr 10%	

Inhalation: May give off gas, vapour or dust that is very irritating or corrosive to the respiratory

system. Exposure to decomposition products may cause a health hazard. Serious

effects may be delayed following exposure.

Skin Contact: Causes skin irritation.

Eye Contact: Causes serious eye damage.

Ingestion: May cause burns to mouth, throat and stomach.

Sensitisation: No known effect according to our database.

Date this version issued: December, 2016 Page: 5 of 8

Product Name: Harpic (ITC) Long Life Blue Freshener



Mutagenicity:No known effect according to our database.Reproductive toxicity:No known effect according to our database.Teratogenicity:No known effect according to our database.

Specific target organ toxicity (single exposure):

No known effect according to our database.

Specific target organ toxicity (repeated exposure):

No known effect according to our database. No known effect according to our database.

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Aspiration hazard:

Potential immediate effects: Not available. Potential delayed effects: Not available.

Long term exposure:

Potential immediate effects: Not available. Potential delayed effects: Not available.

Section 12 - Ecological Information

Ecotoxicity:

Product/Ingredient Name	Result	Species	Exposure
Amides, coco, N-(hydroxyethyl)	Acute LC ₅₀ >100 mg/L Marine water	Crustaceans – Crangon crangon - Adult	48 hr
Benzenesulfonic acid, C10-13-alkyl derivatives, sodium salts	Acute LC ₅₀ 5 mg/L Marine water	Fish - Oncorhynchus mykiss - Juvenile (Fledgling, Hatchling, Weanling)	96 hr
p-mentha-1,4(8)-diene	Acute EC ₅₀ 1380 μg/L Fresh water	Daphnia - Daphnia magna	48 hr
	Acute EC ₅₀ 763 μg/L Fresh water	Fish - Pimephales promelas - Juvenile (Fledgling, Hatchling, Weanling)	96 hr
	Chronic NOEC 30 to 950 µg/L Fresh water	Algae – Pseudokirchneriella subcapitata	96 hr

Persistence and Degradability:

No known effect according to our database.

Bioaccumulative Potential:

Product/Ingredient Name	LogPow	BCF	Potential
Benzenesulfonic acid, C10-13-alkyl derivatives, sodium salts	3.32		Low
Sulfuric acid, mono-C12-18-alkyl esters, sodium salts	-2.1		Low
Terpineol	2.6	24.13	Low
Tetrasodium (1-hydroxyethylidene) bisphosphonate	-3	71	Low
p-mentha-1,4(8)-diene	4.47		High

Mobility in Soil:

Not available

Other Adverse Effects:

No known significant effects or critical hazards.

Date this version issued: December, 2016 Page: 6 of 8

Product Name: Harpic (ITC) Long Life Blue Freshener



Section 13 - Disposal Considerations

Dispose of small quantities and empty containers by wrapping with paper and putting in garbage. For larger quantities, if recycling or reclaiming is not possible, use a commercial waste disposal service.

Waste Treatment Methods:

Product:

Methods of Disposal: Waste must be disposed of in accordance with federal, state and local environmental control regulations. Waste packaging should be recycled.

Hazardous Waste: The classification of the product may meet the criteria for a hazardous waste.

Packaging:

Methods of Disposal: The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

Special Precautions: This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

Section 14 - Transport Information

	ADG	IMDG	IATA
UN Number	None allocated	None allocated	None allocated
UN Proper Shipping Name	None allocated	None allocated	None allocated
Transport Hazard Class	None allocated	None allocated	None allocated
Transport Hazard Sub Class	None allocated	None allocated	None allocated
Packing Group	None allocated	None allocated	None allocated
Hazchem code	None allocated	None allocated	None allocated
ADG Special Provisions code	None allocated	None allocated	None allocated
Environmental Hazards			

Packing Instruction: None allocated

Section 15 - Regulatory Information

Poison schedule (Australia): Not scheduled

Australia inventory (AICS):

New Zealand Inventory of Chemicals (NZIoC):

All components are listed or exempted.

All components are listed or exempted.

HSNO Approval Number: HSR002530

HSNO Group Standard: Cleaning Products (Subsidiary hazard)

APVMA Approval Number: Not applicable

TGA ARTG: MedSafe:

Section 16 - Other Information

This SDS contains only safety-related information. For other data see product literature.

Acronyms:

ADG Code Australian Code for the Transport of Dangerous Goods by Road and Rail (7th edition)

AICS
Australian Inventory of Chemical Substances
SWA
Safe Work Australia, formerly ASCC and NOHSC
CAS number
Chemical Abstracts Service Registry Number

Hazchem Code Emergency action code of numbers and letters that provide information to emergency

services especially firefighters

IARC International Agency for Research on Cancer

NOS Not otherwise specified

NTP National Toxicology Program (USA)

R-Phrase Risk Phrase

SUSMP Standard for the Uniform Scheduling of Medicines & Poisons

UN Number United Nations Number Creation Date: September, 2016

This version issued: December, 2016 and is valid for 5 years from this date.

Date this version issued: December, 2016 Page: 7 of 8

Product Name: Harpic (ITC) Long Life Blue Freshener



Revision comments: First issue to GHS standard mentioned below.

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries,

assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Please read all labels carefully before using product.

This SDS is prepared in accord with the SWA document "Preparation of Safety Data Sheets for Hazardous Chemicals - Code of Practice" (Feb 2016)

Date this version issued: December, 2016 Page: 8 of 8